MITUTOYO SURFTEST SJ-SERIES

Mitutoyo

Ing. Peter Spilár - iSP Starozagorská 9 040 23 Košice

Tel./Fax: 055-6220057 Mobil: 0903-633848 E-mail: spilar@spilar.sk WEB: www.spilar.sk

SJ SERIES - SUPER SALE

THE LEGEND OF MOBILE SURFACE ROUGHNESS MEASUREMENT NOW FOR THE BEST PRICE YOU'LL EVER GET

VALID WHILE STOCKS LAST



Mobile surface roughness measurement Surftest SJ-210 / Surftest SJ-310

- > The portable instruments allow for easy and accurate surface roughness measurement.
- > Made for on-site use, the SJ-210 has a sturdy design perfect for industrial environments.
- > EN ISO conform stylus radius of 2 µm, with a measuring force of 0,75 mN.
- > EN ISO conform skid radius of 40 mm convenient for surface roughness $\lambda c = 0.8$ mm.
- > Both devices support VDA standard and special parameters such as Rz1max.
- > The color LCD provides excellent readability and includes a backlight for improved visibility.
- > Easy and intuitive menu navigation.

Designation

78-560-01D Surftest SJ-210 [mm]

ip radius: 2 µm; Measuring force: 0,75 mN

ip radius: 5 µm; Measuring force: 4 mN witchable between 16 languages (178-560-01D)

Tip radius: 2 µm; Measuring force: 0,75 mN

178-561-02E Surftest SJ-210

78-565-02E

Spanish, Czech, Polish, Hungarian, Turkish, Swedish

witchable between 16 languages (See 178-560-01D)

Tip radius: 2 µm; Measuring force: 0,75 mN; R-type

ip radius: 2 µm; Measuring force: 0,75 mN; S-type witchable between 16 languages (See 178-560-01D)

Surftest SJ-210S

Switchable between 16 languages (See 178-560-01D)

Tip radius: 5 µm; 4 mN; S-type - Switchable Metric / Imperial

witchable between 16 languages (See 178-560-01D)

178-562-01D Surftest SJ-210R [mm] 2.575,00

SURFTEST SJ-210

- > The SJ-310 drastically improves operation time thanks to its touchscreen and built-in printer. With the choice to print results, profiles, conditions, and more automatically or on demand, you are provided with a physical copy of the information right away.
- > Using colored tolerance judgment, both instruments can provide users with a quick but accurate analysis.

witchable between 16 languages: Japanese, English, German, French,

178-560-02D Surftest SJ-210 [mm] 2.215,00 1.799,00

talian, Spanish, Portuguese, Czech, Polish, Hungarian, Turkish,

wedish, Dutch, Korean, Traditional Chinese, Simplified Chinese

witchable between 16 languages: Japanese, English, Russian,

lovenian, Rumanian, Bulgarian, Finnish, German, French, Italian,

ip radius: 5 µm; Measuring force: 4 mN - Switchable Metric / Imperial

178-564-01D Surftest SJ-210S [mm] 4.100,00 3.199,00

List Promotion

price €

price €

2.215,00 1.799,0

2.215,00 1.799,00

4.100.00

3.199.00



- > The SJ series performs roughness analyses according to various international standards (EN ISO, VDA, ANSI, JIS) and customized settings.
- > Both the SJ-210 and SJ-310 are available with a standard detector as well as two others with retracting (R-type) or traversing (S-type) functionality.
- > The SJ-210 comes in two different language sets with a total support of 21 languages.

SURFTEST SJ-310



Designation

Fip radius: 2 μm; Measuring force: 0,75 mN; R-type Switchable between 16 languages (See 178-570-01D)

Fip radius: 2 μm; Measuring force: 0,75 mN; S-type

witchable between 16 languages (See 178-570-01D)



List Promotion

ı	
	IEIDSX:9XHIEL
	医双膀胱切除
	BOARDA DESCRIPTION
	解除其他的是经验
	1: 我是一个的人的
۱	
۲	TELETIZIONE PER PER PER PER PER PER PER PER PER PE
٥	See all Details

178-560-03D Surftest SJ-210 [mm] 2.215,00 1.799,00 on SJ-210: shop.mitutoyo.eu

See all Details on SJ-310:

shop.mitutoyo.eu

	178-570-01D	Surftest SJ-310 [mm]	4.450,00	3.499,00			
	Tip radius: 2 µm; Measuring force: 0,75 mN Switchable between 16 languages: Japanese, English, German, French, Italian, Spanish, Portuguese, Czech, Polish, Hungarian, Turkish, Swe- dish, Dutch, Korean, Traditional Chinese, Simplified Chinese						
STREET, STREET	178-571-01E	Surftest SJ-310 [inch/mm]	4.330,00	3.399,00			
SELECTION OF SELEC	Tip radius: 2 µm; Measuring force: 0,75 mN Switchable between Metric / Imperial Switchable between 16 languages (See 178-570-01D)						
	178-571-02E	Surftest SJ-310 [inch/mm]	4.450,00	3.499,00			
	Tip radius: 5 µm; Measuring force: 4 mN Switchable between Metric / Imperial Switchable between 16 languages (See 178-570-01D)						
	178-572-01D	Surftest SJ-310R [mm]	4.800,00	3.699,00			

178-574-01D Surftest SJ-310S [mm] 6.300,00 4.899,00




ACCESSORIES FOR SJ-210, SJ-310, and SJ-410

Auto-set unit

This unit enables automatic positi-

oning on the Z-axis thanks to the auto-set function. Easy to use, measurement, saving, and auto-return are all possible with single-button operation.

2 370.00



178-010

X-axis 1.220.00 adjustment unit

Used for highly precise horizontal movement, this unit helps fine-tune positioning.



Simple column stand for 738.00 SJ-210/-310

Can be adjusted to match the height of the item to be measured. Vertical adjustment range: 250 mm Dimensions: 400 x 250 x 555 mm Mass: 20 kg

To connect the SJ-210/310 drive unit to the column an optional adapter (12AAA221) needs to be ordered separately



78-039

1.800,00 adjustment unit

This is used for aligning the detector with the workpiece surface, supporting the DAT function to make the process of alignment as easy as possible.

Simple column 732,00 stand for SJ-410

Same as 178-029 but with 400 x 250 x 578 mm in size and intended for SJ-410

Mitutoyo



High straightness drive unit Straightness / traverse length 0,5 µm/50 mm (SJ-412)



Mobile or Stationary Roughness Measurement – Skidless Surftest SJ-410 Series

- > Portable instrument that allows easy and accurate on-site measuring of surface roughness independently of external power sources.
- >The SJ-410 series' skidless design enables the creation of primary profiles (P), roughness profiles (R), waviness profiles (W), and more. It also offers surface compensation of curved, radial, and tilted surfaces.
- > The instrument features a high straightness drive unit with a traverse length of 25 mm and 50 mm. Compatible with both, is a large number of easy to replace styli for customers to choose from.
- > Boasting comfortable use, it retains the same easy and intuitive menu navigation as the rest of the SJ Series.
- The large 14,5 cm color LCD touchscreen facilitates easy readout and operation in multiple languages.

- > With the built-in printer, results, profiles, conditions, and more can be printed out automatically or on demand.
- > Brilliant optional accessories like the Autoset unit, X-axis adjustment unit, and digital leveling unit can be mounted on the granite stand – individually or in



SURFTEST SJ-410							
No.	Designation	List price €	Promotion price €				
178-580-01D	Surftest SJ-411 [mm]	8.430,00	6.899,00				
	Tip radius: 2 µm; Measuring force: 0,75 mN; X= 25 mm Switchable between 16 languages: Japanese, English, Germa Spanish, Portuguese, Czech, Polish, Hungarian, Turkish, Swed Korean, Traditional Chinese, Simplified Chinese						
178-580-02D	Surftest SJ-411 [mm]	8.430,00	6.899,00				
	Tip radius: Measuring force: 5 μm; 4 mN; X= 25 mm Switchable between 16 languages (See 178-580-01D)						
178-581-01E	Surftest SJ-411 [inch/mm]	8.430,00	6.899,00				
	Tip radius: Measuring force: 2 μm; 0,75 mN; X= 25 mm - Swit Metric / Imperial. Switchable between 16 languages (See 178						
178-581-02E	Surftest SJ-411 [mm]	8.430,00	6.899,00				
	Tip radius: 5 μm; Measuring force: 4 mN; X= 50 mm Switchable between 16 languages (See 178-580-01D)						
178-582-01D	Surftest SJ-412 [mm]	9.900,00	7.899,00				
	Tip radius: 5 μm; Measuring force: 4 mN; X= 25 mm Switchable between 16 languages (See 178-580-01D)						
178-583-01E	Surftest SJ-412 [mm]	9.900,00	7.899,00				
	Tip radius: 2 μm; Measuring force: 0,75 mN; X= 50 mm Switchable between 16 languages (See 178-580-01D)						



es and save even more!

Designation **SJ-Series Granite Stand Bundle 1** SJSET01 599,00 Granite stand 178-029 and adapter 12AAA221 To be connected with the SJ-210/310 drive unit, the granite stand and adapter make it possible to adjust and match the height of the item to be measured. SJ-Series Granite Stand Bundle 2 3.102,00 SJSET02 2.499,00 Granite stand 178-039 and Auto-set unit 178-010 This bundle coming with the auto-set unit and granite stand enables measurements with Surftest SJ-410 to be made with a single button push, saving you time and increasing work efficiency. 360,00 SJSET03 SJ-Series Data Management Bundle 1 289,00 USB Input Tool Direct (Digimatic USB) Flat 10-Pin Type 06AFM380D and software USB-ITPAK V 2.1 with Dongle 06AFM386 Created for customers who do not already own USB-ITPAK, this bundle allows you to load calculation results from the Surftest SJ to commercial spreadsheet software on a PC. Essentially, this can be performed with a one-touch operation to enter the values directly into the spreadsheet cells. 827,00 SJSET04 SJ-Series Data Management Bundle 2 659,00 U-WAVE-R (receiver) + Software 02ADZ810D, U-WAVE-T Buzzer Type Wireless Transmitter 02AZD880G, U-WAVE-T Connection Cable D Flat 10-Pin Type 02AZD790D and software USB-ITPAK V 2.1 with Dongle 06AFM386 Created for customers who do not already own the U-WAVE-R receiver, this bundle allows you to load calculation results from the Surftest SJ to commercial spreadsheet software on a PC wirelessly. Essentially, this can be performed with a one-touch operation to enter the values directly into the spreadsheet cells. SJ-Series Data Management Bundle 3 SJSET05 250,00 199,00 U-WAVE-T Buzzer Type Wireless Transmitter 02AZD880G and U-WAVE-T Connection Cable D Flat 10-Pin Type 02AZD790D Created for customers who already own the U-WAVE-R receiver, this bundle allows you to load calculation results from the Surftest SJ to commercial spreadsheet software on a PC. Essentially, this can be performed with a one-touch operation to enter the values directly into the spreadsheet cells.



Find additional product literature and our complete catalog here.

www.mitutoyo.eu

Note: Product illustrations are without obligation. Product descriptions, in particular any and all technical specifications, are only binding when explicitly agreed upon. MITUTOYO, DIGIMATIC, SURFTEST, and U-WAVE are either registered trademarks or trademarks of Mitutoyo Corp. in Japan and/ or other countries/regions. Windows and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Other product, company, and brand names mentioned herein are for identification purposes only and may be the trademarks of their respective holders.

Mitutoyo

Mitutoyo Europe GmbH

Borsigstraße 8-10 41469 Neuss Germany Tel. +49 (0) 2137-102-0

Fax +49 (0) 2137-102-351 info@mitutoyo.eu www.mitutoyo.eu